Math 105 — Second Midterm — April 12, 2022

| | Write your 8-digit UMID number very clearly in the box to the right, and fill out the information on the lines below. | |
|-----------------------|---|------|
| Your Initials Only: _ | Your 8-digit UMID number (not uniqua | me): |

1. Do not open this exam until you are told to do so.

Instructor Name:

- 2. Do not write your name anywhere on this exam.
- 3. This exam has 7 pages including this cover. There are 7 problems. Note that the problems are not of equal difficulty, so you may want to skip over and return to a problem on which you are stuck.
- 4. Do not separate the pages of this exam. If they do become separated, write your UMID (not name) on every page and point this out to your instructor when you hand in the exam.
- 5. The back of every page of the exam is blank, and, if needed, you may use this space for scratchwork. Clearly identify any of this work that you would like to have graded. Scratchwork on pages other than those in this exam will not be graded.
- 6. Read the instructions for each individual problem carefully. One of the skills being tested on this exam is your ability to interpret mathematical questions, so while you may ask for clarification if needed, instructors are generally unable to answer such questions during the exam.
- 7. You must use the methods learned in this course to solve all problems.
- 8. You are allowed to use the notes written on two sides of a single $3'' \times 5''$ notecard. You may use any one calculator that does not have an internet or data connection.
- 9. However, you must show an appropriate amount of work for any calculation which we have learned how to do in this course, so that graders can see not only your answer but how you obtained it. If you use a graph or table to find an answer, be sure to sketch the graph or write out the table, and explain how the graph or table gives the answer.
- 10. Problems may ask for answers in *exact form*. Recall that $x = \sqrt{2}$ is a solution in exact form to the equation $x^2 = 2$, but x = 1.41421356237 is <u>not</u>.
- 11. **Turn off all cell phones, smartphones, and other electronic devices**, and remove all headphones, earbuds, and smartwatches. Put all of these items away. The use of any networked device while working on this exam is <u>not</u> permitted.

| Problem | Points | Score |
|---------|--------|-------|
| 1 | 8 | |
| 2 | 9 | |
| 3 | 11 | |
| 4 | 5 | |

| Problem | Points | Score |
|---------|--------|-------|
| 5 | 7 | |
| 6 | 14 | |
| 7 | 6 | |
| Total | 60 | |

Section #:

1. [8 points]

a. [4 points] Let f(x) be an **odd**, periodic function with period 6. Some values for f(x) are given below.

| x | -2 | -1 | 0 | 1 | 2 |
|------|----|----|---|----|---|
| f(x) | -5 | a | b | -3 | 5 |

Find the following, or write NEI if there is not enough information provided to do so:

- i. a =
- ii. b =
- iii. f(8) = _____
- iv. f(f(-2)) =_____
- **b.** [4 points] Suppose that h(x) is an **even**, periodic function with period 4, amplitude 7, and midline y = -2. Define

$$j(x) = -3h\left(\frac{1}{2}x\right).$$

Is j(x) even, odd, or neither? Circle the one correct answer.

EVEN ODD NEITHER

Find the period, amplitude, and midline of j(x):


Period: Amplitude: Midline: 2. [9 points] Consider the diagram shown to the right. **a.** [2 points] Find the exact value of another angle θ , 3π in radians, with $0 \le \theta \le 2\pi$, such that the value of $\cos(\theta)$ is the same as the value of $\cos\left(\frac{3\pi}{5}\right)$.

Answer: $\theta =$ _____

Now suppose that the circle shown is centered at the point (-2, 1) and has radius 7.

b. [4 points] Find the x- and y-coordinates of the point P.

- Answer: (x, y) =_____
- c. [3 points] Find the arclength of the bold, dashed arc going from the point P counterclockwise to the right-most point of the circle.



- **3**. [11 points] The strawberries at Maggie's farm are ready to be picked. Her friend Arun is willing to help out.
 - Let M(t) be the amount of strawberries, in pounds, that Maggie can pick in t minutes.
 - Let A(t) be the amount of strawberries, in pounds, that Arun can pick in t minutes.

Assume that both of these functions have inverses.

- **a**. [5 points] For parts i. and ii. below, write a complete sentence giving a practical interpretation of the given equation.
 - i. $M^{-1}(2) = 10$

ii. $M(A^{-1}(5)) = 8$


b. [3 points] Suppose that, together, Maggie and Arun pick P pounds of strawberries in total. If Arun picked strawberries for 180 minutes, write an expression for the time, in minutes, that Maggie picked strawberries. Your answer may involve the quantity P, but you should not assume that Maggie and Arun picked strawberries for equal amounts of time.


Answer: ____

c. [3 points] Define the function N(s) to be the amount of strawberries, in **ounces**, that Maggie can pick in s hours. Write a formula for N(s) in terms of M. There are 16 ounces in a pound.

Answer: N(s) =_____

4. [5 points] Given below is the graph of a function B(x). Briefly explain how you can tell that the function B(x) is invertible. Then, on the same set of axes, carefully sketch the graph of $B^{-1}(x)$.





5. [7 points] Suppose that a(x) = mx + b for some constants m and b, where both m and b are not equal to zero.

In parts **a**. and **b**., decide whether each of the following statements must be true, or whether it could be false, and circle the appropriate answer. You do not need to show work but limited partial credit may be available for work shown.

a. [2 points] If f(x) = 3x - 5, then the function f(x) + a(x) must be linear.

TRUE FALSE

b. [2 points] If f(x) = 3x - 5, then the function $f(x) \cdot a(x)$ must be linear.

TRUE FALSE

Also define the function $q(x) = x^2 + 3$.

c. [3 points] If $a(q(x)) = \frac{1}{3}x^2$, find the values of m and b. Show all work. Do not use these values of m and b for the other parts of this problem.

m = _____

b = _____

6. [14 points] You are standing by a river, watching two water wheels, each of which is rotating counterclockwise at a different but constant speed.


The first water wheel takes 24 seconds to complete a full revolution. Each blade of the wheel is 19 feet long, and when each blade is at its lowest point, it just barely scrapes the bottom of the river. One of the blades is painted red, shown as the thicker blade in the diagram to the right.

At the moment you begin watching, the red blade is exactly $\frac{\pi}{3}$ radians below the horizontal, as depicted. Let r(t) be the height, in feet, of the tip of the red blade above the bottom of the river t seconds after you begin watching.

a. [1 point] How many seconds does it take the red blade to reach the horizontal position?


Answer: _

b. [4 points] Sketch a graph of y = r(t) on the interval $0 \le t \le 40$. Be sure the scales on your axes are clear, and pay careful attention to the shape of your graph.



Answer: r(t) =_____

This problem continues onto the following page.





You are standing by a river, watching two water wheels, each of which is rotating counterclockwise at a different but constant speed.


d. [5 points] The second water wheel has a blade painted blue, and you have determined that the height, in feet, of the tip of this blade above the bottom of the river t seconds after you began watching is given by

$$20+15\sin\left(\frac{\pi}{8}t\right)$$
.

Find the **first three** positive values t for which the height of the blade is 30 feet. Show your work, and give your answers in exact form.

Answers:

7. [6 points] Consider the piecewise-defined function k(x) given below. A portion of the graph of k(x) is also shown for reference.



Find a formula for $x = k^{-1}(y)$. Be sure to **show your work**.

