10. [10 points] Some information about a function f(x) is given in the table below.

x	-2	-1	0	1	2	3	4
f'(x)	-2	0	-2	0	1	0	-1
f''(x)	1	0	0	2	0	0	-2

Assume that f''(x) is continuous on [-2, 4] and that the values of f'(x) and f''(x) are strictly positive or strictly negative between consecutive table entries. You do not need to justify your answers to the following questions.

**a**. [2 points] Circle all of the intervals on which f''(x) must be negative.

-	-2 < x < -1	-1 < x < 0	0 < x < 1	1 < x < 2
	2 < x < 3	3 < x < 4	None of	OF THESE

**b.** [2 points] Circle all of the values of x for which f(x) must have a local minimum.

x = -1 x = 0 x = 1 x = 2 x = 3 None of these

c. [2 points] Circle all of the values of x for which f(x) must have an inflection point.

$$x = -1$$
  $x = 0$   $x = 1$   $x = 2$   $x = 3$  None of these

**d**. [2 points] At which value(s) of x does f(x) have a global maximum on [1, 4]?

x = 1 x = 2 x = 3 x = 4 None of these Cannot be determined

e. [2 points] At which value(s) of x does f(x) have a global minimum on [1, 4]?

x = 1 x = 2 x = 3 x = 4 None of these Cannot be determined